3635

TRANSMITTAL FORM  (to be used for all correspondence after initial Total Number of Pages in This Submission	Approved for use through 07/31/2006. OMB 0651-0031  U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE is no persons are required to respond to a collection of information unless it displays a valid OMB control number.  Application Number  Og 847, 657  Filing Date  May 2, 200  First Named Inventor  MINTER, TERESA G.  Art Unit  3435  Examiner Name  KATCHEVES, B.  URISI-BIGW RCE
Fee Transmittal Form Fee Attached Amendment/Reply After Final Affidavits/declaration(s) Extension of Time Request Express Abandonment Request Information Disclosure Statement Certified Copy of Priority Document(s) Response to Missing Parts/ Incomplete Application Response to Missing Parts under 37 CFR 1.52 or 1.53	Drawing(s)  Licensing-related Papers  Petition Petition to Convert to a Provisional Application Change of Correspondence Address Terminal Disclaimer Request for Refund  CD, Number of CD(s)  REMEMBER  PIDEN CAPPER  RECEIVED  After Allowance communication to To Technology Center (TC) Appeal Communication to Board of Appeals and Interferences Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)  Proprietary Information Status Letter Other Enclosure(s) (please Identify below):  RECEIVED  FEB 2 3 2004  GROUP 366
	TURE OF APPLICANT, ATTORNEY, OR AGENT
or	FICES, GEORGE W. DISHONG, ESQ.,
I hereby certify that this correspondence is sufficient postage as first class mail in an eithe date shown below. WALLSTO	Desiring facsimile transmitted to the USPTO or deposited with the United States Postal Service with evelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on PNON-FEE AMENDMENT

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Signature

Date

In Re: Application of: Winter, T.

Deep-Ribbed, Load-Bearing, Prefabricated Insulative Panel and Method for Joining

Page No. \_\_\_1

Dkt. No. WR151-BIGW

# Attorney Docket No. WR151-BIGW RCE

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of: Winter, T.

Serial No.: 09/847,657 Filed: May 02, 2001

For: Deep-Ribbed, Load-Bearing, Prefabricated

Insulative Panel and Method for Joining

To: Mail Stop Non-Fee Amendment

Commissioner for Patents

PO Box 1450

Alexandria, VA 22313-1450

Group Art Unit: 3635 Examiner: Katcheves, B.

Docket No.: WR151-BIGW RCE

Paper No.: 16

RECEIVED

FEB 2 3 2004

**GROUP 3600** 

CERTIFICATE OF MAILING (37 CFR 1.8a)

I hereby certify that this paper (along with any referred to as being attached or enclosed) is being deposited with the United States Postal Service As First Class Mail on the date shown below with sufficient postage as first class mail in an envelope addressed to the: Mail Stop Non-Fee Amendment, Commissioner For Patents, P.O. Box 1450, Alexandria, VA 22313-1450

Date: 2/12/04

Dear Sir:

Ciamatuma

### RESPONSE UNDER 37 C.F.R. § 1.111

The shortened statutory period for response to this Office Action has/not expired.
Applicant requests a Zero (0) month extension of time to respond. NO fee for such Zero
(0) month extension is included herewith. With the <u>Zero</u> (0) month extension the respons
is due on or before <u>February 12, 2004.</u>

## RESPONSE AND AMENDMENT

#### IN THE DRAWINGS

Please replace drawing sheet 1/5 with replacement drawing sheet 1/5, included herewith.